



- NOTES:
1. ALL CONSTRUCTION SHALL CONFORM TO THE CITY OF SAVANNAH DEVELOPMENT GUIDELINES AND TECHNICAL SPECIFICATIONS INCLUDING, BUT NOT LIMITED TO, SECTION 02200 - EARTHWORK AND SECTION 03300 - CAST-IN-PLACE CONCRETE.
  2. CONTRACTION JOINTS SHOULD BE FORMED OR SAWED COINCIDENT WITH THE 10' JOINTS IN THE CURB.
  3. ALL NEW CONCRETE IN THE HISTORIC DISTRICT AND AS OTHERWISE SPECIFIED BY THE STREET MAINTENANCE DIRECTOR MUST BE TINTED. THE TINT SHALL BE LAMBERT CORPORATION SAVANNAH 'BROWN' #4658 OR EQUAL TO BE SUPPLIED BY THE CONTRACTOR.
  4. ADA COMPLIANT WHEELCHAIR RAMPS SHALL BE INSTALLED AT EACH INTERSECTION OR DESIGNATED CROSSWALK LOCATION AND MUST MEET THE MOST CURRENT ADA STANDARDS AND CITY OF SAVANNAH SPECIFICATIONS AT THE TIME OF CONSTRUCTION.

# STANDARD CONSTRUCTION DETAILS



## SIDEWALK AND WALKWAY DETAILS

PLATE NUMBER:  
**P03**

APPROVED: \_\_\_\_\_  
SIGNATURE ON FILE  
CITY ENGINEER

SCALE: N.T.S.  
DATE: FEBRUARY 2009